<u>Colonoscopy – Colyte Prep Instructions</u>

	Patient Name:
	Gastroenterologist:
	Date/Time of Procedure: Arrive:
	Report to Main Building, 2 nd Floor, Room M2210
	Hospital Address: 3800 Reservoir Rd. N.W., Washington, D.C. 20007
Inst	tructions:
read	ached are detailed instructions as well as a checklist to help you prepare for your colonoscopy. Please d the instructions in their entirety and use the checklist as a guide to help ensure a complete prep for ir procedure.
you	Colonoscopy Checklist
Bef	ore you start:
	 If you do not have your bowel prep, call 202-444-8541 and select option 4 to speak to a nurse. If you have questions concerning your current medications, call 202-444-8541 and select option to speak to a nurse.
	☐ Make arrangements for a responsible adult or medical transport to drive you home after your colonoscopy.
	 You may not use a bus, a taxi, or a ride share application, such as Uber, without a responsible adult to accompany you to your home You are not to drive for the remainder of the procedure day.
	 □ You should expect to spend up to 4 hours in our department on the day of your colonoscopy. □ Please see the list of foods you may eat and foods you should avoid starting seven days before the test on page 3.
One	e day before your colonoscopy:
	 □ Breakfast – clear liquids only, no solid foods □ Lunch – clear liquids only, no solid foods
	☐ Dinner – clear liquids only, no solid foods
	□ Drink plenty of clear liquids throughout the day.
	 You may not drink alcoholic beverages within 24 hours of your procedure. Take the bowel prep starting at 4pm as instructed on page 2.
	☐ After finishing your bowel prep, you may drink water until midnight,
<u>Day</u>	y of your colonoscopy:
	Do not eat any solid food until <u>after</u> your colonoscopy.
	 After you complete the prep do not eat or drink any other liquid or food. Arrive 1 hour before the scheduled time with an adult who will be available to drive you home.
	If your insurance company requires a referral, you must bring it with you or fax it to 202-444-4211 prior to your scheduled procedure date.
	 □ Bring your current insurance card(s), co-pay (if applicable), and a current picture I.D. with you on the day of your procedure.

**If you have any questions or need to reschedule your procedure, please call 202-444-8541 and select option 1 to reschedule or option 4 to speak to a nurse Monday- Friday from 8:30am to 5:00pm. If you have any urgent question between 5:00pm-7:30am please call 202-444-7243 and ask to speak to the GI fellow (a physician) on call.*

Detailed Colonoscopy Instructions: What to Eat/Drink

Please see the low fiber diet on page 3 for complete details.

7 DAY	S BFFO	RE YOUR COLONOSCOPY:				
		What to eat:				
		Avoid eating corn, nuts, seeds, fiber and popcorn.				
	0	Please see the low fiber diet list on page 3 for details.				
	Ensure	that you have picked up the prep solution from the pharmacy.				
4 DAY	, DEEOE	DE VOUR COLONOSCORV.				
TUAT	1 DAY BEFORE YOUR COLONOSCOPY: ☐ What to eat:					
	o	Do not eat any solid foods the entire day before your colonoscopy				
	0	Only consume clear liquids				
	· ·	Ex: water, clear soup or broth, apple juice, white grape juice, pulp free lemonade,				
		sprite, ginger-ale, coffee or tea without milk or non-dairy creamers, plain Jell-O				
		(no added fruit or toppings, no red, purple, or blue Jell-O) and popsicles.				
	What t	o drink:				
	0	Only consume clear liquids				
		Ex: water, clear soup or broth, apple juice, white grape juice, pulp free lemonade,				
		sprite, ginger-ale, coffee or tea without milk or non-dairy creamers, plain Jell-O				
		(no added fruit or toppings, no red, purple, or blue Jell-O) and popsicles.				
	0	Mix Colyte, Golytely, or Nulytely with water in the plastic container until dissolved and				
		keep cold in the refrigerator.You may add "Crystal Light" powdered lemonade (as an alternative to the flavor				
		packets) to the solution to improve its taste.				
	0	Starting at 4pm : Drink one 8 ounce glass every 10 – 15 minutes until solution is finished,				
	O	which takes approximately 4 hours.				
		 You must drink the entire solution. 				
		 If you feel full or nauseated by drinking this solution – slow down and finish it 				
		before midnight.				
		 You are encouraged to continue to drink clear liquids until you go to bed. 				
	0	If your stool is not completely clear (pale yellow to clear fluid) after taking the entire				
		solution, you should take one 10 ounce bottle of magnesium citrate (do not take cherry				
		flavored magnesium citrate).				
		 This can be purchased without a prescription at any drug store. 				
DAY O	F YOUR	R COLONOSCOPY:				
	What t	o eat:				
	0	Do not eat any foods including candy, gum, or lozenges until AFTER your colonoscopy.				
	□ What to drink:					
	0	Do not drink anything until AFTER your colonoscopy				
	Medica	ations to take the day of the procedure:				
	0	Blood pressure and heart medications with a small sip of water at least 4hours prior to your procedure time.				
	0	Your other medications can be held until after your procedure.				

It is not uncommon for individuals to experience bloating or nausea when drinking the solution. If vomiting or other symptoms occur and concern you, please call 202-444-8541, and select option 4, Monday- Friday from 8:30am to 5pm. After 5pm and before 8:30am please call 202-444-7243 and ask for the GI fellow (a physician) on call.

☐ Bring a list of ALL of your medications and allergies, a copy of your most recent medical

□ Wear comfortable clothing that is easy to remove and leave your valuables at home.

evaluation, and a copy of your EKG if you had one recently.

LOW FIBER DIET PRIOR TO COLONOSCOPY								
Recommended Foods	Foods to Avoid							
Dairy								
Milk, cream, hot chocolate, buttermilk, cheese	No yogurt mixed with: nuts, seeds, granola, fruit with							
(including cottage cheese), yogurt, sour cream skin or seeds (ex: berries)								
Bread and Grains								
☐ Breads and grains made with refined white flour (including rolls, muffins, bagels, pasta)	No whole grains or high-fiber Brown or wild rice							
☐ White rice	□ Whole grain bread, rolls, pasta, or crackers							
☐ Plain crackers, such as Saltines	☐ Whole grain or high-fiber cereal (including granola, raisin bran, oatmeal)							
☐ Low-fiber cereal (including puffed rice, cream of wheat, corn flakes)	□ Bread or cereal with nuts or seeds							
Meat								
Chicken, turkey, lamb, lean pork, veal fish and	No tough meat with gristle							
seafood, eggs, tofu	<u> </u>							
Legi	Jmes □ Dried peas (including split or black-eyed)							
	□ Dried beans (including spin or black eyed) □ Dried beans (including kidney, pinto, garbanzo, or							
None allowed	chickpea)							
	☐ Lentils ☐ Any other legume							
Fr	Lits							
	No seeds, skin, membranes, or dried fruit							
☐ Fruit juice without pulp ☐ Applesauce	☐ Raw fruit with seeds, skin, or membranes (includes							
☐ Ripe cantaloupe and honeydew	berries, pineapple, apples, oranges, watermelon) Any cooked or canned fruit with seeds or skin							
☐ Canned or cooked fruit without seeds or skin	□ Raisins or other dried fruit							
Vege	tables							
Ok for some if cooked or canned:	No raw, skin, seeds, peel, or certain other							
☐ Canned or cooked vegetables without skin or peel (includes peeled carrots, mushrooms, turnips,	vegetables: Corn, potatoes with skin, tomatoes, cucumbers with							
asparagus tips)	seeds and peel, cooked cabbage or Brussels sprouts,							
□ Potatoes without skin	green peas, summer and winter squash, lima beans,							
Cucumbers without seeds or peel	onions ter, and Seeds							
Nuts, Nut But	No nuts or seeds							
☐ Creamy (smooth) peanut or almond butter	□ Nuts including peanuts, almonds, walnuts							
Creamy (smooth) peanut or almond butter	Chunky nut butter							
Fate a	☐ Seeds such as fennel, sesame, pumpkin, or sunflower nd Oils							
□ Butter or margarine	iid Olis							
□ Vegetable and other oils	No called dragging made with coods or nute							
□ Mayonnaise	No salad dressing made with seeds or nuts							
□ Salad dressings made without seeds or nuts								
	ups							
 □ Broth, bouillon, consommé, and strained soups □ Milk or cream-based soup, strained 	☐ No unstrained soups, chili, lentil soup, dried bean soup, corn soup, or pea soup							
• •	serts							
□ Custard								
☐ Plain pudding	☐ Coconut ☐ Anything with seeds or nuts							
☐ Ice cream, sherbet, or sorbet	☐ Anything with red or purple dye							
 □ Jell-o or gelatin w/o added fruit and red or purple dye □ Cookies or cake made with white flour, prepared 	☐ Cookies or cakes made with whole grain flour, seeds,							
without seeds, dried fruit, or nuts	dried fruits, or nuts							
Drinks or Beverages								
Coffee, tea, hot chocolate or cocoa								
☐ Clear fruit drinks (no pulp) ☐ Soda and other carbonated beverages	☐ Fruit or vegetable juice with pulp ☐ Beverages with red or purple dye							
☐ Ensure, Boost, or Enlive without added fiber	Bovorages with red of pulpie dye							
	her							
☐ Sugar, salt, jelly, honey, syrup, lemon juice	☐ Coconut, popcorn, jam, marmalade, relishes, pickles,							

Insurance Disclaimer

Our office will contact your insurance carrier to verify coverage and, if required, obtain pre-authorization for your procedure. However, pre-authorization is <u>not</u> a guarantee of payment and you will be responsible for any deductibles, co-pays, co-insurances, and/or any other plan specific out-of-pocket expenses.

Dependent upon your family history, personal history, prior gastroenterology diagnoses, or findings discovered during your colonoscopy, your procedure may be considered preventative or diagnostic. This determination will not be made until after the procedure has concluded and will be based upon the findings of your exam. In our experience, many insurance carriers cover preventative and diagnostic colonoscopies differently, and as a result, your out-of-pocket payment may also differ. If you have any questions about your coverage, please contact your insurance carrier directly.

Frequently Asked Questions

How do I get to your office?

Please visit: www.MedStarGeorgetown.org/GIDirections for detailed directions.

My procedure is in the afternoon. May I eat or drink in the morning?

No. To ensure your safety during the procedure, it is important that the stomach is empty. Any food or liquid in the stomach at the time of the procedure places you at risk of aspirating those contents into the lung leading to a serious complication called aspiration pneumonia.

I ate breakfast (lunch or dinner) the day before my colonoscopy. Is that okay?

If the preparation instructions were not followed properly, residual stool may remain in the colon and hide important findings from the examining physician. In some cases, if the colon preparation is not good, you may have to repeat the preparation and the exam. If you accidentally eat any solid food the day before your exam, please call 202-444-8541 and select option 4 to speak with a member of the nursing staff. You may be asked to reschedule your procedure.

I don't have a ride. Is that okay?

No. This is a patient safety and legal liability issue. If you do not have a responsible adult to accompany you home, your PROCEDURE WILL BE CANCELLED!

How many days prior to my procedure should I discontinue my Coumadin, Plavix or other blood thinning medications)?

The decision to stop or continue blood thinners needs to be discussed between your endoscopist and the physician that prescribes the blood thinner prior to your procedure. The prescribing physician decides if it is safe to hold the medication. You need to call us and your prescribing physician urgently if you have not discussed holding or continuing your blood thinner prior to your procedure. This does not include aspirin.

What medications am I able to take the day before and the day of my procedure?

The day prior to your procedure take your medications the way you normally would. However, for those patients taking any type of bowel cleansing preparation, be advised that you may undergo a prolonged period of diarrhea that may flush oral medications out of your system before they have time to take effect. The morning of your procedure you should take any blood pressure or heart medications you may be on with a small sip of water. You can hold most other medications and take them once your procedure has been completed. If you have questions about a specific medication(s), please call a member of our clinical staff at 202-444-8541 and select option 4.

I am diabetic. Do I take my insulin?

You must direct that question to the physician who placed you on this medication. Please check your blood sugar the morning of your procedure as you normally would. If you have any

questions about your diabetes management in conjunction with your fast for your endoscopic procedure, please consult with your primary physician.

I am on pain medication. Can I take it prior to my procedure?

Many prescription pain medications can adversely affect the medications we use for sedation and for that reason we recommend that the day of your procedure you delay taking your pain medication until after your procedure has been completed. If you have any questions, please call a member of our clinical staff at 202-444-8541 and select option 4.

I am having my menstrual period. Should I reschedule my colonoscopy appointment?

No. Your menstrual period will not interfere with your physician's ability to complete your procedure.

May I continue taking my Iron tablets?

No. Iron can cause the formation of dark-colored stools which can make it difficult for the physician to complete your colonoscopy if your preparation is less than optimal. We recommend you stop taking your oral iron supplements at least one week prior to your procedure.

I have been on Aspirin therapy for my heart. Should I continue to take it?

Aspirin may affect blood coagulation. However, we do not generally recommend stopping Aspirin prior to our endoscopic procedures.

I am having a colonoscopy tomorrow. I started my colon preparation on time but now I am experiencing diarrhea and/or a bloated feeling. What should I do?

Nausea, vomiting and a sense of fullness or bloating can occur anytime after beginning your colon preparation. However, it is important that you drink all the preparation. For most people, taking an hour break from the preparation will usually help. Then continue taking the preparation as ordered. If the vomiting returns or symptoms get worse, please call the GI Fellow on call as indicated in your preparation instruction sheet.

Is my colonoscopy considered a routine screening or diagnostic?

Your colonoscopy type will fall into one of the three categories below:

- 1. <u>Diagnostic Colonoscopy:</u> Patient has past or present GI symptoms, polyps, GI disease, iron deficiency anemia or any other abnormal tests.
- 2. <u>Surveillance/High Risk Colonoscopy:</u> Patient has no past or present GI symptoms, has a personal or family history of GI disease, colon polyps, or cancer.
- 3. <u>Preventative/Screening/Routine Colonoscopy:</u> Patient is over the age of 50, has no past or present GI symptoms, no personal or family history of GI disease, colon polyps, or cancer and has not undergone a colonoscopy within the last 10 years.

Can the physician change, add, or delete my diagnosis so that I can be considered eligible for a preventative/screening colonoscopy?

No. Your encounter is documented as a medical record based on the health information you have provided and any information/findings obtained during your procedure. It is a binding legal document that cannot be changed to facilitate better insurance coverage.

What if my insurance tells me the physician can change, add, or delete a CPT or diagnosis code?

Your insurance may tell you that if your colonoscopy was coded as a screening, it would have been covered. However, the "screening" diagnosis can only be amended if it applies to you. Most insurance carriers only consider a patient over the age of 50 with no personal or family history and no past or present GI symptoms as "screening". If you receive this information from your insurance, please document the date, name, and phone # of the representative and contact our billing department. We will perform an audit of the billing and investigate the information you were given to ensure proper billing.

*** Medicare Patients: Please review the Advance Beneficiary Notice of Noncoverage (ABN) Form on the next page. The form provided in this packet is a <u>template only</u>. Please review as you may be asked to complete the form upon check-in for your procedure.***

TEMPLATE ONLY

Advance Beneficiary Notice of Noncoverage (ABN)								
NOTE: If Medicare doesn't pay for D. below, you may have to pay.								
Medicare does not pay for everything, even some care that you or your health care provider have								
good reason to think you need. We expect Medicare may not pay for the D. below.								
D.	E. Reason Medicare	• • •	F. Estimated					
		,	Cost					
Your procedure will be listed here.	The most common rea	son is the	This will be pre-					
	frequency of the proce	edure.	populated on the					
			date of your visit.					
WHAT YOU NEED TO DO NOW:								
Read this notice, so you can m Ask we appropriate that you								
Ask us any questions that youChoose an option below abou	•	_	listed above					
Note: If you choose Option 1								
	are cannot require us to		ranco mar you					
G. OPTIONS: Check only one	box. We cannot cho	oose a box for vo	u.					
,								
☐ OPTION 1. I want the D.								
also want Medicare billed for an official decision on payment, which is sent to me on a Medicare Summary Notice (MSN). I understand that if Medicare doesn't pay, I am responsible for								
payment, but I can appeal to Med								
does pay, you will refund any payn								
☐ OPTION 2. I want the D								
ask to be paid now as I am respon	sible for payment. I ca	innot appeal if Me	edicare is notbilled.					
☐ OPTION 3. I don't want the D. _								
am not responsible for payment, and I cannot appeal to see if Medicare would pay.								
H. Additional Information:								
This notice gives our opinion, not an o	fficial Medicare decisior	1. If you have other	questions on this notice o					
Medicare billing, call 1-800-MEDICARE	(1-800-633-4227/ TTY: 1	-877-486-2048).						
Signing below means that you have	received and understa		u also receive a copy.					
I. Signature:		J. Date:						
CMS does not discriminate in it			publication in an					
alternative format, please call: 1-800-MEDICARE or email:								
AltFormatReguest@cms.hhs.gov.								

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0938-0566. The time required to complete this information collection is estimated to average 7 minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Baltimore, Maryland 21244-1850.